

	Type	Hits	Search Text	DBs
1	BRS	540	disk and partition\$.ab,ti,clm. and port.ab,ti,clm.	USPAT; EPO; JPO; IBM_TDB
2	BRS	58	(disk and partition\$.ab,ti,clm. and port.ab,ti,clm.) and distrib\$.ab,ti,clm.	USPAT; EPO; JPO; IBM_TDB
3	BRS	9	((disk and partition\$.ab,ti,clm. and port.ab,ti,clm.) and distrib\$.ab,ti,clm.) and (load near balanc\$)	USPAT; EPO; JPO; IBM_TDB
4	BRS	9	((disk and partition\$.ab,ti,clm. and port.ab,ti,clm.) and distrib\$.ab,ti,clm.) and server	USPAT; EPO; JPO; IBM_TDB
5	BRS	38	(distributed near database) and port and (load near (shar\$ or balanc\$)) and partitioned and server	USPAT; EPO; JPO; IBM_TDB
6	BRS	6	((distributed near database) and port and (load near (shar\$ or balanc\$)) and partitioned and server) and distributed.ab,ti,clm.	USPAT; EPO; JPO; IBM_TDB
7	BRS	23	(distributed near computer near system) and port and (load near (balanc\$ or shar\$)) and database	USPAT; EPO; JPO; IBM_TDB
8	BRS	0	(distributed near computer near system) and port and (load near (balanc\$ or shar\$)) and (partitioned near3 disk)	USPAT; EPO; JPO; IBM_TDB
9	BRS	7	(distributed near computer near system) and port and (load near (balanc\$ or shar\$)) and SAN	USPAT; EPO; JPO; IBM_TDB
10	BRS	18	(distributed near computer near system) and (load near (balanc\$ or shar\$)) and SAN	USPAT; EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	1	(distributed near computer near system) and (load near (balanc\$ or shar\$)) and "storage area network"	USPAT; EPO; JPO; IBM_TDB
12	BRS	0	"6415373".pn. and port	USPAT; EPO; JPO; IBM_TDB
13	BRS	29	(distributed near computer near system) and (load near (balanc\$ or shar\$)) and port	USPAT; EPO; JPO; IBM_TDB
14	BRS	2	((distributed near computer near system) and (load near (balanc\$ or shar\$)) and port) and partition	USPAT; EPO; JPO; IBM_TDB
15	BRS	0	((distributed near computer near system) and (load near (balanc\$ or shar\$)) and port) and (port near2 change\$)	USPAT; EPO; JPO; IBM_TDB
16	BRS	1	((distributed near computer near system) and (load near (balanc\$ or shar\$)) and port) and (port near2 switch\$)	USPAT; EPO; JPO; IBM_TDB
17	BRS	4	(distributed near computer near system) and ((switches or switching) near port\$)	USPAT; EPO; JPO; IBM_TDB
18	BRS	7	"storage area network" and ((switches or switching) near port\$)	USPAT; EPO; JPO; IBM_TDB
19	BRS	1	"storage area network" and "Fiber channel switch" and port	USPAT; EPO; JPO; IBM_TDB
20	BRS	0	"6415373".pn. and (application\$ near2 fail\$)	USPAT; EPO; JPO; IBM_TDB
21	BRS	0	"6415373".pn. and (application\$ near5 fail\$)	USPAT; EPO; JPO; IBM_TDB
22	BRS	1	"6415373".pn. and fail\$	USPAT; EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
23	BRS	0	"6415373".pn. and port	USPAT; EPO; JPO; IBM_TDB
24	BRS	1	"6415373".pn. and port\$	USPAT; EPO; JPO; IBM_TDB